Cumulus

Hardware Compatibility

Most Popular Torque Wrenches - Snap-on CONTROLTECH™

Manufacturer	Model	Range Nm (ft-lb)	Head Type	Drive Size
Snap-on	CTECHW2MR240S	1.5-27 (1-20)	Fixed Ratchet	3/8"
Snap-on	CTECHW1MR240S	1.5-27 (1-20)	Fixed Ratchet	1/4"
Snap-on	CTECHW2F100B	7-135 (5-100)	Flex Head	3/8"
Snap-on	CTECHW2M1200S	7-135 (5-100)	Fixed Ratchet	3/8"
Snap-on	CTECHW3F250B	17-340 (12.5-250)	Flex Head w/Ingress Proection	1/2"
Snap-on	CTECHW4R650AS	32.5-650 (24-480)	Fixed Ratchet	3/4"

Most Popular Micro Torque Screwdrivers - Snap-on CONTROLTECH™

Manufacturer	Model	Range in-lb	Drive Size	Type
Snap-on	CTECHWMS80MS	4-80	1/4" Square	Male
Snap-on	CTECHWMS80FS	4-80	1/4" Hex	Female

Snap-on CONTROLTECH™ Bluetooth Digital Micro Torque Wrenches

Manufacturer	Model	Range Nm (ft-lb)	Head Type	Drive Size
Snap-on	CTECHW1MR100S	0.57-11.30 (0.42-8.33)	Fixed Ratchet	1/4" Square Ratchet
Snap-on	CTECHW2MR100S	0.57-11.30 (0.42-8.33)	Fixed Ratchet	3/8" Square Ratchet
Snap-on	CTECHWANM30S	1.5-30 (1.11-22.13)	Interchangeable	IZO/ISO (9 x 12 mm)
Snap-on	CTECHWJM300S	1.7-34 (1.25-25)	Interchangeable	J (0.425")
Snap-on	CTECHW1MR240S	1.36-27.12 (1-20)	Fixed Ratchet	1/4" Square Ratchet
Snap-on	CTECHW2MR240S	1.36-27.12 (1-20)	Fixed Ratchet	3/8" Square Ratchet
Snap-on	CTECHW2R100AS	6.8-135.6 (5-100)	Fixed Ratchet	3/8"
Snap-on	CTECHW2M1200S	6.8-135.6 (5-100)	Fixed Ratchet	3/8"
Snap-on	CTECHW2F100B	6.8-135.6 (5-100)	Flex Head w/Ingress Proection	3/8"
Snap-on	CTECHWYM1200S	6.8-135.6 (5-100)	Interchangeable	Y (0.560")
Snap-on	CTECHWANM135S	6.8-135 (5-99.6)	Interchangeable	IZO/ISO (9 x 12 mm)

Cumulus

Hardware Compatibility

Snap-on CONTROLTECH™ IS/EX Bluetooth Digital Torque Wrenches

Manufacturer	Model	Range Nm (ft-lb)	Head Type	Drive Size
Snap-on	CTECHW1UA135	6.8-135 (5-99.6)	Interchangeable	IZO/ISO (9X12mm)
Snap-on	CTECHW1UB400	20-400 (14.8-295)	Interchangeable	IZO/ISO (14X18mm)
Snap-on	CTECHW1UR650	33-650 (24-479.4)	Fixed Ratchet	3/4" Square Ratchet

Snap-on CONTROLTECH™ Bluetooth Digital Torque Wrenches

Manufacturer	Model	Range Nm (ft-lb)	Head Type	Drive Size
Snap-on	CTECHWY100AS	6.8-135.6 (5-100)	Interchangeable	Y (0.560)
Snap-on	CTECHWAN135AS	6.8-135 (5-99.6)	Interchangeable	IZO/ISO (9 x 12 mm)
Snap-on	CTECHWX250AS	16.9-339 (12.5-250)	Interchangeable	X (0.735)
Snap-on	CTECHWBN340AS	17-340 (12.5-250.8)	Interchangeable	IZO/ISO (14 x 18 mm)
Snap-on	CTECHW4R650AS	32.5-650 (24-479.5)	Fixed Ratchet	3/4"
Snap-on	CTECHWZN650AS	32.5-650 (24-479.5)	Interchangeable	Z (0.560)
Snap-on	CTECHW4R600AS	40.7-813.5 (30-600)	Fixed Ratchet	3/4"
Snap-on	CTECHWZ600AS	40.7-813.5 (30-600)	Interchangeable	Z (0.560)

Norbar Protonic Plus Bluetooth Digital Torque Wrenches

Manufacturer	Model	Range Nm (ft-lb)	Head Type	Drive Size
Norbar	130512	5-100 (3.7-73.5)	Fixed Ratchet	3/8"
Norbar	130513	5-100 (3.7-73.5)	Fixed Ratchet	1/2"
Norbar	130514	10-200 (7.4-147.5)	Fixed Ratchet	1/2"
Norbar	130515	17-340 (12.6-250.7)	Fixed Ratchet	1/2"
Norbar	130516	40-800 (29.5-590)	Fixed Ratchet	3/4"



Cumulus

Hardware Compatibility

Bahco Digital Torque Wrenches

Manufacturer	Model	Range Nm (ft-lb)	Head Type	Drive Size
BAHCO	TAWMB930M	1.50-30 (1.11-22.13)	Interchangeable	9x12 ISO Shank
BAHCO	TAWMB9135M	6.8-135 (5-99.5)	Interchangeable	9x12 ISO Shank
BAHCO	TAWMB14340	17-350 (12.5-250.8)	Interchangeable	14x18 ISO Shank
BAHCO	TAWMB24650	32.5-650 (24-479.4)	Interchangeable	24x32 ISO Shank
BAHCO	TAWMB24800	40-800 (29.5-590)	Interchangeable	24x32 ISO Shank

Chicago Pneumatic eTorque Torque Wrenches

Manufacturer	Model	Range Nm (ft-lb)	Head Type	Drive Size
Chicago Pneumatic	CP8906TC	2-30 (2-22)	Interchangeable	1/4"
Chicago Pneumatic	CP8911TC	7-135 (5-99)	Interchangeable	3/8"
Chicago Pneumatic	CP8916TC	20-200 (15-147	Interchangeable	1/2"
Chicago Pneumatic	CP8918TC	34-340 (25-250)	Interchangeable	1/2"
Chicago Pneumatic	CP8921TC	25-500 (20-368)	Interchangeable	3/4"
Chicago Pneumatic	CP8922TC	50-850 (32-625)	Interchangeable	3/4"

Bluetooth Torque Screwdrivers

Manufacturer	Model	Range	Drive Size	Type
Snap-on	CTECHWMS80MS	4-80 in-lb	1/4" Square	Male
Snap-on	CTECHWMS80FS	4-80 in-lb	1/4" Hex	Female
norbar	130524	4-80 in-lb	1/4" Hex	Female
BAHCO	TASMB14H09	4-80 in-lb	1/4" Hex	Female

Cumulus

Hardware Compatibility

Hytorc Electric Torque Tools

Manufacturer	Model	Range ft-lb	Weight lbs.	Drive Size
HYTORC	LST-0700	150-700	11.7	3/4" Square
HYTORC	LST-1200	200-1200	12	3/4" Square
HYTORC	LST-2000	325-2000	16.6	1" Square
HYTORC	LST-3000	500-3000	17.7	1" Square
HYTORC	LST-5000	800-5000	22.4	1 1/2" Square
HYTORC	LIONGUN-.25-BSM	25-250	7.3	1/2" Square
HYTORC	LIONGUN-.7-BSM	70-700	8.3	3/4" Square
HYTORC	LION GUN X 1000	250-1000	9.6	3/4" Square
HYTORC	LION GUN X 3000	600-3000	15.5	1" Square

Chicago Pneumatic Electric Torque Tools

Manufacturer	Model	Range ft-lb	Weight lbs.	Drive Size
Chicago Pneumatic	CP8603TC	50–240	9.0	3/4" Square
Chicago Pneumatic	CP8609TC	185–665	12.5	1" Square
Chicago Pneumatic	CP8613TC	220–960	11.7	3/4" Square
Chicago Pneumatic	CP8626TC	520–1910	15.9	1" Square
Chicago Pneumatic	CP8641TC	740–3020	25.1	1" Square
Chicago Pneumatic	CP8681TC	1470–5970	36.4	1-1/2" Square

**Note: Compatible variants include models ending in -TC. Standalone, Connected, and CQ models are not compatible.*

Snap-on Cordless Torque Multiplier

Manufacturer	Model	Range ft-lb
Snap-on	CTM550SSABT	100–550
Snap-on	CTM800SSABT	160–800
Snap-on	CTM600SS	118–600
Snap-on	CTM1000	250–1000
Snap-on	CTM2000	500–2000
Snap-on	CTM3000	750–3000

Cumulus

Hardware Compatibility

Hydraulic Tools

By retrofitting a customer's hydraulic pump with an available Bluetooth pressure gauge, Cumulus enables compatibility with any hydraulic tools on the market. Brands we commonly integrate with include:

Snap-on, Chicago Pneumatic, Atlas Copco, SPX, hydratight, Hi-Force Hydraulic Tools, TRITORC, torcUP, TORQLITE, ENERPAC, HYTORC

Bluetooth Pressure Gauges for Hydraulic Torquing, Tensioning and Pressure Test

Manufacturer	Model	PSI Range
WIKA	CPG-1500	0-150,000 psi
Additel	680A	0 - 60,000 psi
Additel	681A	0 - 60,000 psi
Additel	685	0 - 60,000 psi

Electrical Testing - Megger Insulation Resistance Testers

Manufacturer	Model	Type
Megger	MIT525/2 (1016-086) Ver. 2	5 kV
Megger	MIT1025/2 (1016-096) Ver. 2	10 kV
Megger	MIT1525/2 (1016-101) Ver. 2	15 kV
Megger	DLRO2X (1013-795)	Low Resistance Testing
Megger	IMT100X (1017-031)	Multi-Tester
Snap-on	EEDM650F	Multi-Tester

Some brands available only in select markets. Please contact support@cumulusquality.com for the recommended configuration options for your respective use case before purchasing.